

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptacmb1647

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 AUG 10 Time limit for inactive STN sessions doubles to 40
minutes
NEWS 3 AUG 18 COMPENDEX indexing changed for the Corporate Source
(CS) field
NEWS 4 AUG 24 ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS 5 AUG 24 CA/Caplus enhanced with legal status information for
U.S. patents
NEWS 6 SEP 09 50 Millionth Unique Chemical Substance Recorded in
CAS REGISTRY
NEWS 7 SEP 11 WPIDS, WPINDEX, and WPIX now include Japanese FTERM
thesaurus

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:08:21 ON 20 OCT 2009

=> file medline embase biosis caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.22	0.22

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 14:09:02 ON 20 OCT 2009

FILE 'EMBASE' ENTERED AT 14:09:02 ON 20 OCT 2009
Copyright (c) 2009 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 14:09:02 ON 20 OCT 2009
Copyright (c) 2009 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 14:09:02 ON 20 OCT 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

```
=> s (follicle(w)stimulating(w)hormone or FSH) and (xx(w)disomy or yy(w)disomy)
L1      3 (FOLLICLE(W) STIMULATING(W) HORMONE OR FSH) AND (XX(W) DISOMY
      OR YY(W) DISOMY)
```

```
=> dup rem l1
PROCESSING COMPLETED FOR L1
L2      1 DUP REM L1 (2 DUPLICATES REMOVED)
```

```
=> dis ibib abs l2 1
```

L2	ANSWER 1 OF 1	MEDLINE on STN	DUPLICATE 1
ACCESSION NUMBER:	2008765164	MEDLINE	
DOCUMENT NUMBER:	PubMed ID: 19032689		
TITLE:	Sperm disomy in idiopathic severely oligoasthenoteratozoospermic males.		
AUTHOR:	Moemen M N; Mostafa T; Gadalla A M; Abbas M; Ismail H F; Abd El-Hamid M F; Abdel Salam M F		
CORPORATE SOURCE:	Department of Andrology & Sexology, Faculty of Medicine, Cairo University, Cairo, Egypt.		
SOURCE:	Andrologia, (2008 Dec) Vol. 40, No. 6, pp. 381-6. Journal code: 0423506. E-ISSN: 1439-0271.		
PUB. COUNTRY:	Germany: Germany, Federal Republic of		
DOCUMENT TYPE:	Journal; Article; (JOURNAL ARTICLE)		
LANGUAGE:	English		
FILE SEGMENT:	Priority Journals		
ENTRY MONTH:	200901		
ENTRY DATE:	Entered STN: 27 Nov 2008 Last Updated on STN: 23 Jan 2009 Entered Medline: 22 Jan 2009		
AB	<p>This work aimed to determine the incidence of sperm disomy in infertile men with idiopathic severe oligoasthenoteratozoospermia (OAT). Fifty male subjects were included in this study: 30 infertile men with idiopathic severe OAT and 20 healthy fertile men as controls. Semen analysis, hormonal assay (follicle-stimulating hormone, luteinising hormone and testosterone), scrotal ultrasound examination and fluorescent in situ hybridisation of their semen samples were performed to determine the disomy levels of chromosomes X and Y. There was a significant higher frequency for XX disomy and XY disomy in spermatozoa from severe OAT patients than that in controls. There was nonsignificant difference in the percentage of YY disomy between OAT cases and controls. XX, YY and XY disomy showed nonsignificant correlation with the age. Sperm concentration and sperm motility demonstrated significant negative correlation with XX and XY disomy. Sperm abnormal forms had significant negative correlation with XX and XY disomy. Nonsignificant correlation was demonstrated between YY disomy and semen parameters. XX disomy showed significant positive correlation with XY disomy and nonsignificant correlation with YY disomy. YY disomy showed nonsignificant correlation with XY disomy. It is concluded that sperm disomy in severe OAT is increased, which should be taken into account when undergoing micromanipulation.</p>		

=> FIL SINGUIDE		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	31.90	32.12

FILE 'STNGUIDE' ENTERED AT 14:17:09 ON 20 OCT 2009
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Oct 16, 2009 (20091016/UP).

=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

(FILE 'HOME' ENTERED AT 14:08:21 ON 20 OCT 2009)

FILE 'MEDLINE, EMBASE, BIOSIS, CAPLUS' ENTERED AT 14:09:02 ON 20 OCT 2009
L1 3 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (FOLLICLE(W) STIMULATING(W)
) HORMONE OR FSH) AND (XX(W) DISOMY OR YY(W) DISOMY)
L2 1 DUP REM L1 (2 DUPLICATES REMOVED)
DIS IBIB ABS L2 1

FILE 'STNGUIDE' ENTERED AT 14:17:09 ON 20 OCT 2009		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	32.33

STN INTERNATIONAL LOGOFF AT 14:18:40 ON 20 OCT 2009